Service Name	Adult Substance Use Disorder Intensive Outpatient
	ASAM Level 2.1
Setting	Adult Substance Use Disorder (SUD) Intensive Outpatient (IOP) can be provided in any of the following settings:
Licensure, Certification, or Accreditation	The agency providing this service must be licensed by the DHHS Division of Public Health and accredited by CARF, TJC, or COA, and accredited to provide the level of care applicable to this service as required by DHHS Division of Medicaid and Long-Term Care (MLTC)  Individual providers must be licensed by the DHHS Division of Public Health as required by DHHS Division of Medicaid and Long-Term Care (MLTC)
Basic Definition	Intensive Outpatient Services provide group based, non-residential, intensive, structured interventions consisting primarily of counseling and psychoeducation about substance related and co-occurring mental health problems. Services are goal-oriented interactions with the individual or in group/family settings. This community-based service allows the individual to apply skills in natural environments and promotes a rapid and stable integration into the community. IOP provides time-limited, comprehensive, and coordinated multidisciplinary treatment. Services align with current edition ASAM 2.1 guidance
Service Expectations (Information about this service is referenced in Title 471 chapter 20)	<ul> <li>Substance use disorder (SUD) assessment: by a licensed clinician, operating within their scope of practice, must be completed prior to the beginning of treatment and meet the requirements as noted in the SUD Assessment Medicaid Service Definition         <ul> <li>If a substance use disorder assessment was conducted within the previous 12 months prior to admission to the service, and is determined to be clinically relevant, it can serve as the service admission assessment. If there is new information available, an update to the SUD assessment must be documented in the form of a SUD addendum. The SUD addendum must reflect the individual's current status</li> <li>If a substance use disorder assessment was not conducted within the previous 12 months prior to admission to the service, or the prior SUD assessment is not relevant and does not contain the necessary information, then a substance use disorder assessment must be performed</li> </ul> </li> <li>An initial treatment, recovery, and rehabilitation plan must be developed within 24 hours to guide the first two sessions of treatment</li> <li>Under clinical supervision, develop an Individualized Treatment, Rehabilitation, and Recovery Plan, including discharge plan and relapse</li> </ul>

prevention, with the individual (consider community, family and other supports) within the first two sessions Review and update the Individualized Treatment, Rehabilitation, and Recovery Plan every 14 days or more often as clinically indicated. Review must be completed under a licensed clinician with the individual and must include family, guardians, other supports as authorized by the individual Provide access to Medication Assisted Treatment (MAT) as medically appropriate Therapies/interventions include individual, family, and group psychotherapy, psychoeducational groups, motivational enhancement and engagement strategies Other services could include family education, self-help group and support group orientation Monitoring stabilized co-occurring mental health problems Consultation, referral, or both for medical, psychological, and psychopharmacology needs Provides 9 or more hours per week of skilled treatment total over 3 to 5 times per week Access to a licensed clinician on a 24/7 basis It is the provider's responsibility to coordinate with other treating professionals Discharge planning is an ongoing process that occurs through the duration of service. A Discharge summary must be completed prior to discharge Initial and full Individualized Treatment, Rehabilitation, and Recovery Plans, Discharge Planning and Discharge Summaries must be completed in accordance with the requirements outlined in the document titled Medicaid Requirements for Behavioral Health Services All services must be provided with cultural competence Crisis assistance must be available 24 hours a day, 7 days a week Length of Length of service is individualized and based on clinical criteria for admission and Service continuing stay. The anticipated duration of the service must be documented in the treatment, recovery, and rehabilitation plan Staffing **Licensed Clinicians** May include: (Detailed **Psychiatrist** training and Physician licensure **Psychologist** requirements Provisionally licensed psychologist are referenced Advanced practice registered nurse (APRN) in the document Licensed Physician Assistant (PA) titled *Medicaid* Licensed Independent Mental Health Practitioner (LIMHP) Requirements Licensed mental health practitioner (LMHP) for Behavioral Provisionally licensed mental health practitioner (PLMHP) Health Services) Licensed alcohol and drug counselor (LADC) Provisionally licensed alcohol and drug counselor (PLADC)

Staffing Ratio	All staff must meet the qualifications and supervision requirements as defined in the document titled <i>Medicaid Requirements for Behavioral Health Services</i> All staff are required to work within their scope of practice to provide mental health, substance use, or co-occurring mental health and substance use disorder treatment  1:1 individual 1:1 family 1:3 minimum and no more than 1:12 maximum for group treatment
Hours of Operation Desired Individual Outcome	<ul> <li>Typical business hours with evening and weekend hours available by appointment</li> <li>The individual has substantially met the treatment, recovery, and rehabilitation plan goals and objectives</li> <li>The precipitating condition and relapse potential is stabilized such that there is sustained improvement in health and psychosocial functioning</li> <li>The individual's condition can be managed without the professional external supports and intervention at this level of care</li> <li>The individual has alternative support systems secured to help maintain active recovery and stability in the community</li> <li>The individual is connected to the next appropriate level of care necessary to treat the condition</li> </ul>
Admission Guidelines	<ul> <li>The individual meets the diagnostic criteria for a Substance Use Disorder as defined in the Diagnostic and Statistical Manual (DSM), current edition, as well as American Society of Addiction Medicine (ASAM), current edition, dimensional criteria for admission to this service</li> <li>The individual meets specifications in each of the six ASAM dimensions.</li> <li>It is expected that the individual will be able to benefit from this treatment</li> <li>This level of care is the least restrictive setting that will produce the desired results in accordance with the needs of the individual</li> </ul>
Continued Stay Guidelines	<ul> <li>It is appropriate to retain the individual at the present level of care if:         <ul> <li>The individual is making progress but has not yet achieved the goals articulated in the individualized treatment, recovery, and rehabilitation plan. Continued treatment at this level of care is assessed as necessary to permit the individual to continue to work toward their treatment goals, or</li> <li>The individual is not yet making progress but has the capacity to resolve their problems. The individual is actively working toward the goals in the individualized treatment, recovery, and rehabilitation plan. Continued treatment at this level of care is assessed as necessary to permit the individual to continue to work toward their treatment goals, or</li> <li>New problems have been identified that are appropriately treated at this level of care. This level of care is the least intensive level of care at which the individual's new problems can be addressed effectively</li> </ul> </li> </ul>

• To document and communicate the individual's readiness for discharge or need for transfer to another level of care, each of the six dimensions of the ASAM criteria must be reviewed. If the criteria apply to the individual's existing or new problem(s), they should continue in treatment at the present level of care